

PRIORITY

TOP SECRET

6 FEB 69. 19 00Z

OUT 66970

TOP SECRET 061839Z FEB 69 CITE [ ] 5608

PRIORITY [ ]

ATTN: [ ]

REF A [ ]

B DIA MESSAGE 11562

C [ ] 8225

1. IN RESPONSE TO REF A: THE MESSAGES REFERRED TO IN  
MEMORANDUM [ ] OF INTEREST TO YOU STATE:

REF B: THIS IS AN AUTHORIZATION FOR [ ] TO PERFORM ORTHO-  
PRINTING IN SUPPORT OF BICOLOR ANALYSIS.

REF C: THE PARAGRAPHS OF THE REFERENCED MESSAGE WHICH PERTAIN  
TO YOUR EFFORT ARE QUOTED AS FOLLOWS:

"REF 9 OCT CONFERENCE HELD AT [ ], SUBJECT: ORTHOPHOTO  
SUPPORT FOR BICOLOR TEST. THE FOLLOWING ITEMS AND PROCEDURES  
WERE AGREED TO BY REPRESENTATIVES FROM [ ]  
DURING REFERENCED MEETING:

A. 20 TARGET AREAS ARE TO BE USED FOR THIS TEST.

G. SOLAR WILL PRODUCE AN ORIGINAL ORTHOPHOTO PLUS ONE DUPLICATE  
FOR EACH TARGET AREA. THESE WILL BE RETURNED WITH THE ORIGINAL  
NEGATIVE AS COMPLETED.

PAGE 2 [ ] 5608 TOP SECRET

H. [ ] WILL SPECIFY THE TARGET SEQUENCE FOR THE  
PRODUCTION OF THE ORTHOPHOTOS.

I. THE TARGET DATE FOR COMPLETION OF ALL ORTHOPHOTOS  
AND RETURN OF ALL MATERIAL TO [ ] WILL BE 31 JANUARY  
1969.

K. [ ] AUTHORIZES [ ] TO TRANSMIT THE DUPLICATE  
ORTHOPHOTO MATERIAL TO [ ] FOR COLOR PRINTING."

2. THE TARGET DATE INDICATED IN PARA I OF THE QUOTED MESSAGE  
WAS NOT MET BECAUSE OF ORTHO-PRINTING EQUIPMENT PROBLEMS.  
TOP SECRET

END OF MESSAGE

| DISTRIBUTION |           |      |
|--------------|-----------|------|
| CY           | OFFICE    | P    |
| ✓            | FILE      |      |
|              | CABLE [ ] |      |
|              | FPAB/RL   |      |
|              | SECUR.    |      |
| 34           | TSSG/APSP | ✓    |
|              | PSG/OC    | 25X1 |
|              | NRD       | 25X1 |
|              | REPRO     |      |
|              | AID       |      |
|              | LEG       | 25X1 |
|              | PROD      |      |
|              | SCIEN     | 25X1 |
|              | WEST      | 25X1 |
|              | EAST      |      |
|              | M&S       |      |
|              | PGM       |      |
|              | IAS       |      |
|              | DIA-XX4   |      |
|              | SPAD      |      |
|              | DIA-AP    | 25X1 |
|              | CMX       |      |

ADVANCE CY  
SANITIZED  
WITH TEXT

TOP SECRET

GROUP 1  
Excluded from automatic  
downgrading and  
declassification